

Snippets for Django templates

autoescape	{% autoescape %} {% autoescape %}
block	{% block %} {% endblock %}
comment	{% comment %} {% endcomment %}
csrf	{% csrf_token %}
cycle	{% cycle %}
debug	{% debug %}
ext	{% extends " " %}
extends	{% extends " " %}
filter	{% filter %} {% endfilter %}
firstof	{% firstof %}
for	{% for in %} {% endfor %}
fore	{% for in %} {% empty %} {% endfor %}
if	{% if %} {% endif %}
ifchanged	{% ifchanged %} {% endifchanged %}
ife	{% if %} {% else %} {% endif %}
ifelse	{% if %} {% else %} {% endif %}
ifeq	{% ifequal %} {% endifequal %}
ifequal	{% ifequal %} {% endifequal %}
ifnotequal	{% ifnotequal %} {% endifnotequal %}
inc	{% include %}
include	{% include %}
load	{% load %}
now	{% now " " %}
regroup	{% regroup by as %}
spaceless	{% spaceless %} {% endspaceless %}
ssi	{% ssi %}
static	{% static %}
templatetag	{% templatetag %}
url	{% url %}
verbatim	{% verbatim %} {% endverbatim %}
widthratio	{% widthratio %}

Snippets for Django templates (cont)

with	{% with as %} {% endwith %}
trans	{% trans %}
blocktrans	{% blocktrans with as %} {% endblocktrans %}

Non-official snippets for templates

super	{{ block.super }}
extrahead	{% block extrahead %}{% endblock extrahead %}
extrastyle	{% block extrastyle %}{% endblock extrastyle %}
var	{{ }}
tag	{% %}
staticu	{{ STATIC_URL }}
media	{{ MEDIA_URL }}

Snippets for Django model fields

mauto	models.AutoField()
mbigint	models.BigIntegerField()
mbool	models.BooleanField()
mchar	models.CharField(max_length=)
mdate	models.DateField()
mdatetime	models.DateTimeField()
mdecimal	models.DecimalField(max_digits=, decimal_places=)
mduration	models.DurationField()
memail	models.EmailField()
mfile	models.FileField()
mfilepath	models.FilePathField()
mfloat	models.FloatField()
mimg	models.ImageField()
mint	models.IntegerField()
mip	models.IPAddressField()



Snippets for Django model fields (cont)

mnullbool	models.NullBooleanField()
mphone	models.PhoneNumberField()
mposint	models.PositiveIntegerField()
mpossmallint	models.PositiveSmallIntegerField()
mslug	models.SlugField()
msmallint	models.SmallIntegerField()
mtext	models.TextField()
mtime	models.TimeField()
murl	models.URLField()
musstate	models.USStateField()
mxml	models.XMLField()
fk	models.ForeignKey()
m2m	models.ManyToManyField()
o2o	models.OneToOneField()

Snippets for Django form fields

fchar	forms.CharField()
fchoice	forms.ChoiceField()
fcombo	forms.ComboBoxField()
fdate	forms.DateField()
fdatetime	forms.DateTimeField()
fdecimal	forms.DecimalField()
fduration	forms.DurationField()
femail	forms.EmailField()
ffile	forms.FileField()
ffilepath	forms.FilePathField()
ffloat	forms.FloatField()
fimg	forms.ImageField()
fint	models.IntegerField()
fip	forms.IPAddressField()
fmochoice	forms.ModelChoiceField()
fmomuchoice	forms.ModelMultipleChoiceField()

Snippets for Django form fields (cont)

fmuchoice	forms.ModelChoiceField()
fmuval	forms.ModelValueField()
fnulldbool	forms.NullBooleanField()
fregex	forms.RegexField()
fslug	forms.SlugField()
fsdatetime	forms.SplitDateTimeField()
ftime	forms.TimeField()
ftchoice	forms.TypedChoiceField()
ftmuchoice	forms.TypedModelChoiceField()
furl	forms.URLField()

Snippets for Django Models

Model	Simple Model Class
Model_full	Full Model Class(with TODOs)

Completions

null	blank	choices
db_column	db_index	db_tablespace
default	related_name	editable
error_message	help_message	primary_key
unique	unique_together	unique_for_date
unique_for_month	unique_for_year	verbose_name
verbose_name_plural	validators	auto_now_add
auto_now	required	label
initial	widget	localized
return	RequestContext	context_instance
render_to_response	render	redirect
get_object_or_404	get_list_or_404	



Snippets for Django Views

view	Function Based View
createview	Generic Create View
updateview	Generic Update View
deleteview	Generic Delete View
detailview	Generic Detail View
listview	Generic List View
templateview	Generic Template View
adminview	Generic Admin View
tabularinline	Tabular Inline View
stackedinline	Stacked Inline View
dispatch	dispatch method for CBVs
get_context_data	get_context_data method for CBVs

Snippets for Python

init	<code>__init__(self, args, *kwargs)</code>
pdb	<code>import pdb ; pdb.set_trace()</code>
ipdb	<code>import ipdb ; ipdb.set_trace()</code>
npdb	<code>from nose.tools import set_trace; set_trace()</code>
traceback	<code>import traceback; traceback.print_exc();</code>
utfc	<code>coding: utf-8</code>

